

$b(E) \times 10^6$ [cm²g⁻¹] for
silver (Ag), $Z = 47$, $A = 107.8682(2)$

E [GeV]	b_{brems}	b_{pair}	b_{nucl}	b_{tot}
2.	1.3141	0.5411	0.3864	2.2416
5.	1.8081	1.5195	0.4130	3.7406
10.	2.2098	2.2785	0.3947	4.8830
20.	2.6219	3.0180	0.3840	6.0239
50.	3.1633	4.1190	0.3729	7.6551
100.	3.5503	4.8560	0.3648	8.7711
200.	3.9063	5.5172	0.3610	9.7845
500.	4.3103	6.1314	0.3610	10.8026
1000.	4.5566	6.4605	0.3667	11.3838
2000.	4.7505	6.6997	0.3757	11.8259
5000.	4.9328	6.9010	0.3922	12.2259
10000.	5.0242	6.9945	0.4086	12.4274
20000.	5.0854	7.0556	0.4278	12.5688
50000.	5.1363	7.1016	0.4577	12.6955
100000.	5.1593	7.1208	0.4832	12.7632