

$$\Delta(1905) \ 5/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{5}{2}^+) \text{ Status: } ****$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

## $\Delta(1905)$ POLE POSITION

### REAL PART

| VALUE (MeV)   | DOCUMENT ID           | TECN | COMMENT                           |
|---|-----------------------|------|-----------------------------------|
| <b>1750 to 1800 (<math>\approx</math> 1770) OUR ESTIMATE</b>                  |                       |      |                                   |
| 1707 $\pm$ 1  | ROENCHEN 22           | DPWA | Multichannel                      |
| 1800 $\pm$ 6  | SOKHOYAN 15A          | DPWA | Multichannel                      |
| 1752 $\pm$ 3 $\pm$ 2  | <sup>1</sup> SVARC 14 | L+P  | $\pi N \rightarrow \pi N$         |
| 1830 $\pm$ 40   | CUTKOSKY 80           | IPWA | $\pi N \rightarrow \pi N$         |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |      |                                   |
| 1819  | HUNT 19               | DPWA | Multichannel                      |
| 1795  | ROENCHEN 15A          | DPWA | Multichannel                      |
| 1800 $\pm$ 6  | GUTZ 14               | DPWA | Multichannel                      |
| 1805 $\pm$ 10   | ANISOVICH 12A         | DPWA | Multichannel                      |
| 1819  | ARNDT 06              | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 1793  | VRANA 00              | DPWA | Multichannel                      |
| 1829  | HOEHLER 93            | SPED | $\pi N \rightarrow \pi N$         |

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

### –2×IMAGINARY PART

| VALUE (MeV)   | DOCUMENT ID           | TECN | COMMENT                           |
|---|-----------------------|------|-----------------------------------|
| <b>260 to 340 (<math>\approx</math> 300) OUR ESTIMATE</b>                     |                       |      |                                   |
| 127 $\pm$ 4   | ROENCHEN 22           | DPWA | Multichannel                      |
| 290 $\pm$ 15  | SOKHOYAN 15A          | DPWA | Multichannel                      |
| 346 $\pm$ 6 $\pm$ 2   | <sup>1</sup> SVARC 14 | L+P  | $\pi N \rightarrow \pi N$         |
| 280 $\pm$ 60  | CUTKOSKY 80           | IPWA | $\pi N \rightarrow \pi N$         |
| ● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ● |                       |      |                                   |
| 253   | HUNT 19               | DPWA | Multichannel                      |
| 247   | ROENCHEN 15A          | DPWA | Multichannel                      |
| 290 $\pm$ 15  | GUTZ 14               | DPWA | Multichannel                      |
| 300 $\pm$ 15  | ANISOVICH 12A         | DPWA | Multichannel                      |
| 247   | ARNDT 06              | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 302   | VRANA 00              | DPWA | Multichannel                      |
| 303   | HOEHLER 93            | SPED | $\pi N \rightarrow \pi N$         |

<sup>1</sup>Fit to the amplitudes of HOEHLER 79.

## $\Delta(1905)$ ELASTIC POLE RESIDUE

### MODULUS $|r|$

| VALUE (MeV)  | DOCUMENT ID           | TECN | COMMENT                   |
|--|-----------------------|------|---------------------------|
| <b>15 to 25 (<math>\approx</math> 20) OUR ESTIMATE</b> |                       |      |                           |
| 3.7 $\pm$ 1.0  | ROENCHEN 22           | DPWA | Multichannel              |
| 19 $\pm$ 2   | SOKHOYAN 15A          | DPWA | Multichannel              |
| 24 $\pm$ 1 $\pm$ 1                                     | <sup>1</sup> SVARC 14 | L+P  | $\pi N \rightarrow \pi N$ |
| 25 $\pm$ 8   | CUTKOSKY 80           | IPWA | $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|        |           |     |      |                                   |
|--------|-----------|-----|------|-----------------------------------|
| 5.3    | ROENCHEN  | 15A | DPWA | Multichannel                      |
| 19 ± 2 | GUTZ      | 14  | DPWA | Multichannel                      |
| 20 ± 2 | ANISOVICH | 12A | DPWA | Multichannel                      |
| 15     | ARNDT     | 06  | DPWA | $\pi N \rightarrow \pi N, \eta N$ |
| 25     | HOEHLER   | 93  | SPED | $\pi N \rightarrow \pi N$         |

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## PHASE $\theta$

| VALUE (°)   | DOCUMENT ID        | TECN | COMMENT                        |
|---|--------------------|------|--------------------------------|
| <b>– 120 to – 30 (<math>\approx</math> – 45) OUR ESTIMATE</b> |                    |      |                                |
| – 92 ± 6  | ROENCHEN           | 22   | DPWA Multichannel              |
| – 45 ± 4  | SOKHOYAN           | 15A  | DPWA Multichannel              |
| – 114 ± 1 ± 2   | <sup>1</sup> SVARC | 14   | L+P $\pi N \rightarrow \pi N$  |
| – 50 ± 20   | CUTKOSKY           | 80   | IPWA $\pi N \rightarrow \pi N$ |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|          |           |     |      |                                   |
|----------|-----------|-----|------|-----------------------------------|
| – 89     | ROENCHEN  | 15A | DPWA | Multichannel                      |
| – 45 ± 4 | GUTZ      | 14  | DPWA | Multichannel                      |
| – 44 ± 5 | ANISOVICH | 12A | DPWA | Multichannel                      |
| – 30     | ARNDT     | 06  | DPWA | $\pi N \rightarrow \pi N, \eta N$ |

<sup>1</sup> Fit to the amplitudes of HOEHLER 79.

## $\Delta(1905)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by  $\Gamma_{pole}/2$ .

### Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta\pi$ , *P*-wave

| MODULUS   | PHASE (°) | DOCUMENT ID | TECN | COMMENT           |
|---|-----------|-------------|------|-------------------|
| 0.10 ± 0.01   | – 109 ± 7 | ROENCHEN    | 22   | DPWA Multichannel |
| 0.19 ± 0.07   | 10 ± 30   | SOKHOYAN    | 15A  | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |           |             |      |                   |
| 0.0870  | 72        | ROENCHEN    | 15A  | DPWA Multichannel |
| 0.25 ± 0.06   | 0 ± 15    | ANISOVICH   | 12A  | DPWA Multichannel |

### Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow \Delta\pi$ , *F*-wave

| MODULUS   | PHASE (°) | DOCUMENT ID | TECN | COMMENT           |
|---|-----------|-------------|------|-------------------|
| 0.017 ± 0.002   | 18 ± 8    | ROENCHEN    | 22   | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |           |             |      |                   |
| 0.009   | 64        | ROENCHEN    | 15A  | DPWA Multichannel |

### Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow \Sigma K$

| MODULUS   | PHASE (°) | DOCUMENT ID | TECN | COMMENT           |
|---|-----------|-------------|------|-------------------|
| 0.0020 ± 0.0002   | 154 ± 6   | ROENCHEN    | 22   | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |           |             |      |                   |
| 0.001   | – 155     | ROENCHEN    | 15A  | DPWA Multichannel |

### Normalized residue in $N\pi \rightarrow \Delta(1905) \rightarrow N(1535)\pi$

| MODULUS       | PHASE (°) | DOCUMENT ID | TECN | COMMENT           |
|---------------|-----------|-------------|------|-------------------|
| 0.025 ± 0.010 | 130 ± 35  | GUTZ        | 14   | DPWA Multichannel |

**Normalized residue in  $N\pi \rightarrow \Delta(1905) \rightarrow \Delta(1232)\eta$** 

| <u>MODULUS</u>  | <u>PHASE (<math>^\circ</math>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>    |
|-----------------|------------------------------------|--------------------|-------------|-------------------|
| 0.07 $\pm$ 0.02 | 40 $\pm$ 20                        | GUTZ               | 14          | DPWA Multichannel |

 **$\Delta(1905)$  BREIT-WIGNER MASS**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                            |
|---|-----------------------|-------------|---|
| <b>1855 to 1910 (<math>\approx</math> 1880) OUR ESTIMATE</b>                  |                       |             |   |
| 1883 $\pm$ 19   | GOLOVATCH             | 19          | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 1866 $\pm$ 9  | <sup>1</sup> HUNT     | 19          | DPWA Multichannel                         |
| 1856 $\pm$ 6  | SOKHOYAN              | 15A         | DPWA Multichannel                         |
| 1857.8 $\pm$ 1.6  | <sup>1</sup> ARNDT    | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$    |
| 1910 $\pm$ 30   | CUTKOSKY              | 80          | IPWA $\pi N \rightarrow \pi N$            |
| 1905 $\pm$ 20   | HOEHLER               | 79          | IPWA $\pi N \rightarrow \pi N$            |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |   |
| 1856 $\pm$ 6  | GUTZ                  | 14          | DPWA Multichannel                         |
| 1861 $\pm$ 6  | ANISOVICH             | 12A         | DPWA Multichannel                         |
| 1818 $\pm$ 8  | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel                         |
| 1873 $\pm$ 77   | VRANA                 | 00          | DPWA Multichannel                         |

<sup>1</sup>Statistical error only. **$\Delta(1905)$  BREIT-WIGNER WIDTH**

| <u>VALUE (MeV)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                            |
|---|-----------------------|-------------|---|
| <b>270 to 400 (<math>\approx</math> 330) OUR ESTIMATE</b>                     |                       |             |   |
| 327 $\pm$ 69  | GOLOVATCH             | 19          | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 289 $\pm$ 20  | <sup>1</sup> HUNT     | 19          | DPWA Multichannel                         |
| 325 $\pm$ 15  | SOKHOYAN              | 15A         | DPWA Multichannel                         |
| 320.6 $\pm$ 8.6   | <sup>1</sup> ARNDT    | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$    |
| 400 $\pm$ 100   | CUTKOSKY              | 80          | IPWA $\pi N \rightarrow \pi N$            |
| 260 $\pm$ 20  | HOEHLER               | 79          | IPWA $\pi N \rightarrow \pi N$            |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |   |
| 325 $\pm$ 15  | GUTZ                  | 14          | DPWA Multichannel                         |
| 335 $\pm$ 18  | ANISOVICH             | 12A         | DPWA Multichannel                         |
| 278 $\pm$ 18  | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel                         |
| 461 $\pm$ 111   | VRANA                 | 00          | DPWA Multichannel                         |

<sup>1</sup>Statistical error only. **$\Delta(1905)$  DECAY MODES**

The following branching fractions are our estimates, not fits or averages.

| Mode                                     | Fraction ( $\Gamma_i/\Gamma$ ) |
|--|--------------------------------|
| $\Gamma_1$ $N\pi$                        | 9–15%                          |
| $\Gamma_2$ $N\pi\pi$                     | >65%                           |
| $\Gamma_3$ $\Delta(1232)\pi$             | >48%                           |
| $\Gamma_4$ $\Delta(1232)\pi$ , $P$ -wave | 8–43%                          |
| $\Gamma_5$ $\Delta(1232)\pi$ , $F$ -wave | 40–58%                         |

|               |                                |               |
|---------------|--------------------------------|---------------|
| $\Gamma_6$    | $N\rho, S=3/2, P\text{-wave}$  | 17–35%        |
| $\Gamma_7$    | $N(1535)\pi$                   | < 1 %         |
| $\Gamma_8$    | $N(1680)\pi, P\text{-wave}$    | 5–15%         |
| $\Gamma_9$    | $\Delta(1232)\eta$             | 2–6%          |
| $\Gamma_{10}$ | $N\gamma$                      | 0.012–0.036 % |
| $\Gamma_{11}$ | $N\gamma, \text{helicity}=1/2$ | 0.002–0.006 % |
| $\Gamma_{12}$ | $N\gamma, \text{helicity}=3/2$ | 0.01–0.03 %   |

### $\Delta(1905)$ BRANCHING RATIOS

#### $\Gamma(N\pi)/\Gamma_{\text{total}}$ $\Gamma_1/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>                         |
|---|-----------------------|-------------|--|
| <b>9–15% OUR ESTIMATE</b>   |                       |             |  |
| 17 $\pm$ 1  | <sup>1</sup> HUNT     | 19          | DPWA Multichannel                      |
| 13 $\pm$ 2  | SOKHOYAN              | 15A         | DPWA Multichannel                      |
| 12.2 $\pm$ 0.1  | <sup>1</sup> ARNDT    | 06          | DPWA $\pi N \rightarrow \pi N, \eta N$ |
| 8 $\pm$ 3   | CUTKOSKY              | 80          | IPWA $\pi N \rightarrow \pi N$         |
| 15 $\pm$ 2  | HOEHLER               | 79          | IPWA $\pi N \rightarrow \pi N$         |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |  |
| 13 $\pm$ 2  | GUTZ                  | 14          | DPWA Multichannel                      |
| 13 $\pm$ 2  | ANISOVICH             | 12A         | DPWA Multichannel                      |
| 6 $\pm$ 1   | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel                      |
| 9 $\pm$ 1   | VRANA                 | 00          | DPWA Multichannel                      |

<sup>1</sup>Statistical error only.

#### $\Gamma(N\pi\pi)/\Gamma_{\text{total}}$ $\Gamma_2/\Gamma$

| <u>VALUE</u>                | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u>                          |
|-----------------------------|--------------------|-------------|---|
| <b>&gt;65% OUR ESTIMATE</b> |                    |             |   |
| 0.85 $\pm$ 0.15             | GOLOVATCH          | 19          | DPWA $\gamma p \rightarrow \pi^+\pi^-p$ |

#### $\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_4/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| <b>8–43% OUR ESTIMATE</b>   |                       |             |                   |
| 8.4 $\pm$ 0.5   | <sup>1</sup> HUNT     | 19          | DPWA Multichannel |
| 33 $\pm$ 10   | SOKHOYAN              | 15A         | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 45 $\pm$ 14   | ANISOVICH             | 12A         | DPWA Multichannel |
| 28 $\pm$ 7  | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |
| 23 $\pm$ 1  | VRANA                 | 00          | DPWA Multichannel |

<sup>1</sup>Statistical error only.

#### $\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ $\Gamma_5/\Gamma$

| <u>VALUE (%)</u>  | <u>DOCUMENT ID</u>    | <u>TECN</u> | <u>COMMENT</u>    |
|---|-----------------------|-------------|-------------------|
| <b>40–58% OUR ESTIMATE</b>  |                       |             |                   |
| 49 $\pm$ 9  | <sup>1</sup> HUNT     | 19          | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |             |                   |
| 64 $\pm$ 8  | <sup>1</sup> SHRESTHA | 12A         | DPWA Multichannel |
| 44 $\pm$ 1  | VRANA                 | 00          | DPWA Multichannel |

<sup>1</sup>Statistical error only.

$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_6/\Gamma$ 

| VALUE (%)   | DOCUMENT ID           | TECN | COMMENT           |
|---|-----------------------|------|-------------------|
| <b>17–35% OUR ESTIMATE</b>  |                       |      |                   |
| 26±9  | <sup>1</sup> HUNT     | 19   | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                       |      |                   |
| < 6   | <sup>1</sup> SHRESTHA | 12A  | DPWA Multichannel |
| 24±1  | VRANA                 | 00   | DPWA Multichannel |
| <sup>1</sup> Statistical error only.  |                       |      |                   |

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$   $\Gamma_7/\Gamma$ 

| VALUE (%)                    | DOCUMENT ID | TECN | COMMENT           |
|------------------------------|-------------|------|-------------------|
| <b>&lt; 1 % OUR ESTIMATE</b> |             |      |                   |
| <1                           | GUTZ        | 14   | DPWA Multichannel |

 $\Gamma(N(1680)\pi, P\text{-wave})/\Gamma_{\text{total}}$   $\Gamma_8/\Gamma$ 

| VALUE (%)                 | DOCUMENT ID | TECN | COMMENT           |
|---------------------------|-------------|------|-------------------|
| <b>5–15% OUR ESTIMATE</b> |             |      |                   |
| 10±5                      | SOKHOYAN    | 15A  | DPWA Multichannel |

 $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$   $\Gamma_9/\Gamma$ 

| VALUE (%)                | DOCUMENT ID | TECN | COMMENT           |
|--------------------------|-------------|------|-------------------|
| <b>2–6% OUR ESTIMATE</b> |             |      |                   |
| 4±2                      | GUTZ        | 14   | DPWA Multichannel |

 **$\Delta(1905)$  PHOTON DECAY AMPLITUDES AT THE POLE** **$\Delta(1905) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

| MODULUS ( $\text{GeV}^{-1/2}$ )   | PHASE ( $^\circ$ ) | DOCUMENT ID | TECN | COMMENT           |
|---|--------------------|-------------|------|-------------------|
| 0.055±0.004   | −159 ± 2           | ROENCHEN    | 22   | DPWA Multichannel |
| 0.025±0.005   | −28 ± 12           | SOKHOYAN    | 15A  | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                    |             |      |                   |
| 0.053   | 89                 | ROENCHEN    | 15A  | DPWA Multichannel |

 **$\Delta(1905) \rightarrow N\gamma$ , helicity-3/2 amplitude  $A_{3/2}$** 

| MODULUS ( $\text{GeV}^{-1/2}$ )   | PHASE ( $^\circ$ ) | DOCUMENT ID | TECN | COMMENT           |
|---|--------------------|-------------|------|-------------------|
| −0.168±0.020  | 172 ± 0.9          | ROENCHEN    | 22   | DPWA Multichannel |
| −0.050±0.004  | 5 ± 10             | SOKHOYAN    | 15A  | DPWA Multichannel |
| • • • We do not use the following data for averages, fits, limits, etc. • • • |                    |             |      |                   |
| −0.030  | 80                 | ROENCHEN    | 15A  | DPWA Multichannel |

 **$\Delta(1905)$  BREIT-WIGNER PHOTON DECAY AMPLITUDES** **$\Delta(1905) \rightarrow N\gamma$ , helicity-1/2 amplitude  $A_{1/2}$** 

| VALUE ( $\text{GeV}^{-1/2}$ )                                   | DOCUMENT ID          | TECN | COMMENT                                   |
|---|----------------------|------|---|
| <b>0.017 to 0.027 (<math>\approx 0.022</math>) OUR ESTIMATE</b> |                      |      |   |
| 0.019±0.0076  | GOLOVATCH            | 19   | DPWA $\gamma p \rightarrow \pi^+ \pi^- p$ |
| 0.077±0.010   | <sup>1</sup> HUNT    | 19   | DPWA Multichannel                         |
| 0.025±0.005   | SOKHOYAN             | 15A  | DPWA Multichannel                         |
| 0.020±0.002   | <sup>1</sup> DUGGER  | 13   | DPWA $\gamma N \rightarrow \pi N$         |
| 0.019±0.002   | <sup>1</sup> WORKMAN | 12A  | DPWA $\gamma N \rightarrow \pi N$         |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                   |                       |     |      |                              |
|-------------------|-----------------------|-----|------|------------------------------|
| $0.025 \pm 0.005$ | GUTZ                  | 14  | DPWA | Multichannel                 |
| $0.025 \pm 0.004$ | ANISOVICH             | 12A | DPWA | Multichannel                 |
| $0.066 \pm 0.018$ | <sup>1</sup> SHRESTHA | 12A | DPWA | Multichannel                 |
| 0.018             | DRECHSEL              | 07  | DPWA | $\gamma N \rightarrow \pi N$ |

<sup>1</sup>Statistical error only.

### $\Delta(1905) \rightarrow N\gamma$ , helicity-3/2 amplitude $A_{3/2}$

| <u>VALUE (GeV<sup>-1/2</sup>)</u> | <u>DOCUMENT ID</u> | <u>TECN</u> | <u>COMMENT</u> |
|-----------------------------------|--------------------|-------------|----------------|
|-----------------------------------|--------------------|-------------|----------------|

#### –0.055 to –0.035 ( $\approx$ –0.045) OUR ESTIMATE

|                      |                     |     |      |                                      |
|----------------------|---------------------|-----|------|--------------------------------------|
| $-0.0432 \pm 0.0173$ | GOLOVATCH           | 19  | DPWA | $\gamma p \rightarrow \pi^+ \pi^- p$ |
| $-0.053 \pm 0.029$   | <sup>1</sup> HUNT   | 19  | DPWA | Multichannel                         |
| $-0.050 \pm 0.005$   | SOKHOYAN            | 15A | DPWA | Multichannel                         |
| $-0.049 \pm 0.005$   | <sup>1</sup> DUGGER | 13  | DPWA | $\gamma N \rightarrow \pi N$         |
| $-0.038 \pm 0.004$   | WORKMAN             | 12A | DPWA | $\gamma N \rightarrow \pi N$         |

• • • We do not use the following data for averages, fits, limits, etc. • • •

|                    |                       |     |      |                              |
|--------------------|-----------------------|-----|------|------------------------------|
| $-0.050 \pm 0.005$ | GUTZ                  | 14  | DPWA | Multichannel                 |
| $-0.049 \pm 0.004$ | ANISOVICH             | 12A | DPWA | Multichannel                 |
| $-0.223 \pm 0.029$ | <sup>1</sup> SHRESTHA | 12A | DPWA | Multichannel                 |
| –0.028             | DRECHSEL              | 07  | DPWA | $\gamma N \rightarrow \pi N$ |

<sup>1</sup>Statistical error only.

## $\Delta(1905)$ REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

|           |     |                        |                                      |                         |
|-----------|-----|------------------------|--------------------------------------|-------------------------|
| ROENCHEN  | 22  | EPJ A58 229            | D. Roenchen <i>et al.</i>            | (JULI, GWU, BONN+)      |
| GOLOVATCH | 19  | PL B788 371            | E. Golovatch <i>et al.</i>           | (CLAS Collab.)          |
| HUNT      | 19  | PR C99 055205          | B.C. Hunt, D.M. Manley               |                         |
| ROENCHEN  | 15A | EPJ A51 70             | D. Roenchen <i>et al.</i>            |                         |
| SOKHOYAN  | 15A | EPJ A51 95             | V. Sokhoyan <i>et al.</i>            | (CBELSA/TAPS Collab.)   |
| GUTZ      | 14  | EPJ A50 74             | E. Gutz <i>et al.</i>                | (CBELSA/TAPS Collab.)   |
| PDG       | 14  | CP C38 070001          | K. Olive <i>et al.</i>               | (PDG Collab.)           |
| SVARC     | 14  | PR C89 045205          | A. Svarc <i>et al.</i>               | (RBI Zagreb, UNI Tuzla) |
| DUGGER    | 13  | PR C88 065203          | M. Dugger <i>et al.</i>              | (JLab CLAS Collab.)     |
| ANISOVICH | 12A | EPJ A48 15             | A.V. Anisovich <i>et al.</i>         | (BONN, PNPI)            |
| SHRESTHA  | 12A | PR C86 055203          | M. Shrestha, D.M. Manley             | (KSU)                   |
| WORKMAN   | 12A | PR C86 015202          | R. Workman <i>et al.</i>             | (GWU)                   |
| DRECHSEL  | 07  | EPJ A34 69             | D. Drechsel, S.S. Kamalov, L. Tiator | (MAINZ, JINR)           |
| ARNDT     | 06  | PR C74 045205          | R.A. Arndt <i>et al.</i>             | (GWU)                   |
| VRANA     | 00  | PRPL 328 181           | T.P. Vrana, S.A. Dytman, T.-S.H. Lee | (PITT, ANL)             |
| HOEHLER   | 93  | $\pi N$ Newsletter 9 1 | G. Hohler                            | (KARL)                  |
| CUTKOSKY  | 80  | Toronto Conf. 19       | R.E. Cutkosky <i>et al.</i>          | (CMU, LBL) IJP          |
| Also      |     | PR D20 2839            | R.E. Cutkosky <i>et al.</i>          | (CMU, LBL) IJP          |
| HOEHLER   | 79  | PDAT 12-1              | G. Hohler <i>et al.</i>              | (KARLT) IJP             |
| Also      |     | Toronto Conf. 3        | R. Koch                              | (KARLT) IJP             |