

$$\Delta(1920) \ 3/2^+$$

$$I(J^P) = \frac{3}{2}(\frac{3}{2}^+) \text{ Status: } ***$$

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

$\Delta(1920)$ POLE POSITION

REAL PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
1850 to 1950 (\approx 1900) OUR ESTIMATE			
1880 \pm 30	SARANTSEV	25	DPWA Multichannel
1883 \pm 2	ROENCHEN	22	DPWA Multichannel
1906 \pm 10 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
1900 \pm 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
1910	HUNT	19	DPWA Multichannel
1715	ROENCHEN	15A	DPWA Multichannel
1875 \pm 30	SOKHOYAN	15A	DPWA Multichannel
1875 \pm 30	GUTZ	14	DPWA Multichannel
1880	VRANA	00	DPWA Multichannel
1900	HOEHLER	93	SPED $\pi N \rightarrow \pi N$

¹ Fit to the amplitudes of HOEHLER 79.

–2×IMAGINARY PART

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
200 to 400 (\approx 300) OUR ESTIMATE			
260 \pm 40	SARANTSEV	25	DPWA Multichannel
844 \pm 5	ROENCHEN	22	DPWA Multichannel
310 \pm 20 \pm 11	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
300 \pm 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●			
472	HUNT	19	DPWA Multichannel
882	ROENCHEN	15A	DPWA Multichannel
300 \pm 40	SOKHOYAN	15A	DPWA Multichannel
300 \pm 40	GUTZ	14	DPWA Multichannel
120	VRANA	00	DPWA Multichannel

¹ Fit to the amplitudes of HOEHLER 79.

$\Delta(1920)$ ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	DOCUMENT ID	TECN	COMMENT
15 to 35 (\approx 25) OUR ESTIMATE			
41 \pm 3	ROENCHEN	22	DPWA Multichannel
16 \pm 6	SOKHOYAN	15A	DPWA Multichannel
26 \pm 3 \pm 2	¹ SVARC	14	L+P $\pi N \rightarrow \pi N$
24 \pm 4	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

38	ROENCHEN	15A	DPWA	Multichannel
16±6	GUTZ	14	DPWA	Multichannel
17±8	ANISOVICH	12A	DPWA	Multichannel

¹Fit to the amplitudes of HOEHLER 79.

PHASE θ

<u>VALUE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

– 150 to – 50 (\approx – 100) OUR ESTIMATE

11± 4	ROENCHEN	22	DPWA	Multichannel
– 50±25	SOKHOYAN	15A	DPWA	Multichannel
– 130± 5±3	¹ SVARC	14	L+P	$\pi N \rightarrow \pi N$
– 150±30	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

146	ROENCHEN	15A	DPWA	Multichannel
– 50±25	GUTZ	14	DPWA	Multichannel
– 40±20	ANISOVICH	12A	DPWA	Multichannel

¹Fit to the amplitudes of HOEHLER 79.

$\Delta(1920)$ INELASTIC POLE RESIDUE

The “normalized residue” is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\eta$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.15±0.04	70 ± 20	GUTZ	14	DPWA Multichannel
-----------	---------	------	----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.17±0.08	70 ± 20	ANISOVICH	12A	DPWA Multichannel
-----------	---------	-----------	-----	-------------------

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Sigma K$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.20±0.01	104 ± 2	ROENCHEN	22	DPWA Multichannel
-----------	---------	----------	----	-------------------

0.09±0.03	80 ± 40	ANISOVICH	12A	DPWA Multichannel
-----------	---------	-----------	-----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.17	– 35	ROENCHEN	15A	DPWA Multichannel
------	------	----------	-----	-------------------

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\pi, P\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.057±0.003	– 48 ± 3	ROENCHEN	22	DPWA Multichannel
-------------	----------	----------	----	-------------------

0.20 ± 0.08	– 105 ± 25	SOKHOYAN	15A	DPWA Multichannel
-------------	------------	----------	-----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.069	131	ROENCHEN	15A	DPWA Multichannel
-------	-----	----------	-----	-------------------

0.20 ± 0.12	– 120 ± 30	ANISOVICH	12A	DPWA Multichannel
-------------	------------	-----------	-----	-------------------

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow \Delta\pi, F\text{-wave}$

<u>MODULUS</u>	<u>PHASE (°)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
----------------	------------------	--------------------	-------------	----------------

0.020±0.002	147 ± 4	ROENCHEN	22	DPWA Multichannel
-------------	---------	----------	----	-------------------

0.37 ± 0.10	– 90 ± 20	SOKHOYAN	15A	DPWA Multichannel
-------------	-----------	----------	-----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.013	– 115	ROENCHEN	15A	DPWA Multichannel
-------	-------	----------	-----	-------------------

0.28 ± 0.07	– 95 ± 35	ANISOVICH	12A	DPWA Multichannel
-------------	-----------	-----------	-----	-------------------

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1535)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03±0.02	35 ± 45	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N_{a_0}(980)$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.03±0.02	-85 ± 45	GUTZ	14	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1440)\pi$

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.04±0.03	undefined	SOKHOYAN	15A	DPWA Multichannel

Normalized residue in $N\pi \rightarrow \Delta(1920) \rightarrow N(1520)\pi$, S-wave

<u>MODULUS</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
0.05±0.05	undefined	SOKHOYAN	15A	DPWA Multichannel

 $\Delta(1920)$ BREIT-WIGNER MASS

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

1870 to 1970 (\approx 1920) OUR ESTIMATE

1890 ± 25	SARANTSEV	25	DPWA Multichannel
1976 ± 49	HUNT	19	DPWA Multichannel
2146 ± 32	¹ SHRESTHA	12A	DPWA Multichannel
1920 ± 80	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
1868 ± 10	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1880 ± 30	SOKHOYAN	15A	DPWA Multichannel
1880 ± 30	GUTZ	14	DPWA Multichannel
2057 ± 1	PENNER	02C	DPWA Multichannel
1889 ± 100	VRANA	00	DPWA Multichannel

¹Statistical error only.

 $\Delta(1920)$ BREIT-WIGNER WIDTH

<u>VALUE (MeV)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
--------------------	--------------------	-------------	----------------

240 to 360 (\approx 300) OUR ESTIMATE

280 ± 40	SARANTSEV	25	DPWA Multichannel
509 ± 170	HUNT	19	DPWA Multichannel
400 ± 80	¹ SHRESTHA	12A	DPWA Multichannel
300 ± 100	CUTKOSKY	80	IPWA $\pi N \rightarrow \pi N$
220 ± 80	HOEHLER	79	IPWA $\pi N \rightarrow \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

300 ± 40	SOKHOYAN	15A	DPWA Multichannel
300 ± 40	GUTZ	14	DPWA Multichannel
525 ± 32	PENNER	02C	DPWA Multichannel
123 ± 53	VRANA	00	DPWA Multichannel

¹Statistical error only.

$\Delta(1920)$ DECAY MODES

The following branching fractions are our estimates, not fits or averages.

Mode	Fraction (Γ_i/Γ)
Γ_1 $N\pi$	5–20 %
Γ_2 ΣK	2–6 %
Γ_3 $N\pi\pi$	>46 %
Γ_4 $\Delta(1232)\pi$	(38±15) %
Γ_5 $\Delta(1232)\pi$, <i>P</i> -wave	2–28 %
Γ_6 $\Delta(1232)\pi$, <i>F</i> -wave	44–72 %
Γ_7 $N\rho$	(57± 8) %
Γ_8 $N\rho$, $S=1/2$	(8± 4) %
Γ_9 $N\rho$, $S=3/2$, <i>P</i> -wave	(14± 5) %
Γ_{10} $N\rho$, $S=3/2$, <i>F</i> -wave	(35± 6) %
Γ_{11} $N(1440)\pi$, <i>P</i> -wave	4–86 %
Γ_{12} $N(1520)\pi$, <i>S</i> -wave	< 5 %
Γ_{13} $N(1535)\pi$	< 2 %
Γ_{14} $N a_0(980)$	seen
Γ_{15} $\Delta(1232)\eta$	5–17 %
Γ_{16} $N\gamma$	0.01–0.84 %
Γ_{17} $N\gamma$, helicity=1/2	0.0–0.42 %
Γ_{18} $N\gamma$, helicity=3/2	0.01–0.42 %

 $\Delta(1920)$ BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$				Γ_1/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
5–20 % OUR ESTIMATE				
12 ±6	SEIFEN	25	DPWA	Multichannel
10.5±3.0	¹ HUNT	19	DPWA	Multichannel
20 ±5	CUTKOSKY	80	IPWA	$\pi N \rightarrow \pi N$
14 ±4	HOEHLER	79	IPWA	$\pi N \rightarrow \pi N$
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
8 ±4	SOKHOYAN	15A	DPWA	Multichannel
8 ±4	GUTZ	14	DPWA	Multichannel
16 ±4	¹ SHRESTHA	12A	DPWA	Multichannel
15 ±1	PENNER	02C	DPWA	Multichannel
5 ±4	VRANA	00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Sigma K)/\Gamma_{\text{total}}$				Γ_2/Γ
VALUE (%)	DOCUMENT ID	TECN	COMMENT	
2–6 % OUR ESTIMATE				
4 ±2	ANISOVICH	12A	DPWA	Multichannel
● ● ● We do not use the following data for averages, fits, limits, etc. ● ● ●				
2.1±0.3	PENNER	02C	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_4/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
38±15	SARANTSEV 25	DPWA	Multichannel

$\Gamma(\Delta(1232)\pi, P\text{-wave})/\Gamma_{\text{total}}$ Γ_5/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
2–28 % OUR ESTIMATE			
6 ± 4	SARANTSEV 25	DPWA	Multichannel
5 ± 4	SEIFEN 25	DPWA	Multichannel
< 1.6	¹ HUNT 19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
18 ± 10	SOKHOYAN 15A	DPWA	Multichannel
7 ± 5	¹ SHRESTHA 12A	DPWA	Multichannel
41 ± 3	VRANA 00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(\Delta(1232)\pi, F\text{-wave})/\Gamma_{\text{total}}$ Γ_6/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
44–72 % OUR ESTIMATE			
32±15	SARANTSEV 25	DPWA	Multichannel
40±20	SEIFEN 25	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
58±14	SOKHOYAN 15A	DPWA	Multichannel

$\Gamma(N\rho)/\Gamma_{\text{total}}$ Γ_7/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
57±8	SARANTSEV 25	DPWA	Multichannel

$\Gamma(N\rho, S=1/2)/\Gamma_{\text{total}}$ Γ_8/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
8±4	SARANTSEV 25	DPWA	Multichannel

$\Gamma(N\rho, S=3/2, P\text{-wave})/\Gamma_{\text{total}}$ Γ_9/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
14±5	SARANTSEV 25	DPWA	Multichannel

$\Gamma(N\rho, S=3/2, F\text{-wave})/\Gamma_{\text{total}}$ Γ_{10}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
35±6	SARANTSEV 25	DPWA	Multichannel

$\Gamma(N(1440)\pi, P\text{-wave})/\Gamma_{\text{total}}$ Γ_{11}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
4–86 % OUR ESTIMATE			
9±6	SEIFEN 25	DPWA	Multichannel
77±9	¹ HUNT 19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
< 4	SOKHOYAN 15A	DPWA	Multichannel
< 20	¹ SHRESTHA 12A	DPWA	Multichannel
53±8	VRANA 00	DPWA	Multichannel

¹Statistical error only.

$\Gamma(N(1520)\pi, S\text{-wave})/\Gamma_{\text{total}}$ Γ_{12}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

< 5 OUR ESTIMATE

10±8	SEIFEN	25	DPWA Multichannel
------	--------	----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

< 5	SOKHOYAN	15A	DPWA Multichannel
-----	----------	-----	-------------------

 $\Gamma(N(1535)\pi)/\Gamma_{\text{total}}$ Γ_{13}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

<2 OUR ESTIMATE

5±5	SEIFEN	25	DPWA Multichannel
-----	--------	----	-------------------

<2	GUTZ	14	DPWA Multichannel
----	------	----	-------------------

 $\Gamma(N_{a0}(980))/\Gamma_{\text{total}}$ Γ_{14}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

seen OUR ESTIMATE

• • • We do not use the following data for averages, fits, limits, etc. • • •

4±2	HORN	08A	DPWA Multichannel
-----	------	-----	-------------------

 $\Gamma(\Delta(1232)\eta)/\Gamma_{\text{total}}$ Γ_{15}/Γ

<u>VALUE (%)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
------------------	--------------------	-------------	----------------

5-17 % OUR ESTIMATE

11±6	GUTZ	14	DPWA Multichannel
------	------	----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

15±8	ANISOVICH	12A	DPWA Multichannel
------	-----------	-----	-------------------

 $\Delta(1920)$ PHOTON DECAY AMPLITUDES AT THE POLE **$\Delta(1920) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------------------------------	--------------------	-------------	----------------

0.040±0.025	-30 ± 25	SARANTSEV	25	DPWA Multichannel
-------------	----------	-----------	----	-------------------

0.138±0.006	-8.9 ± 2.0	ROENCHEN	22	DPWA Multichannel
-------------	------------	----------	----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

-0.192	46	ROENCHEN	15A	DPWA Multichannel
--------	----	----------	-----	-------------------

0.110±0.030	-50 ± 20	SOKHOYAN	15A	DPWA Multichannel
-------------	----------	----------	-----	-------------------

 $\Delta(1920) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$

<u>MODULUS ($\text{GeV}^{-1/2}$)</u>	<u>PHASE ($^\circ$)</u>	<u>DOCUMENT ID</u>	<u>TECN</u>	<u>COMMENT</u>
---	------------------------------------	--------------------	-------------	----------------

0.055±0.025	-50 ± 35	SARANTSEV	25	DPWA Multichannel
-------------	----------	-----------	----	-------------------

0.252±0.007	14 ± 2	ROENCHEN	22	DPWA Multichannel
-------------	--------	----------	----	-------------------

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.522	67	ROENCHEN	15A	DPWA Multichannel
-------	----	----------	-----	-------------------

-0.100±0.040	0 ± 20	SOKHOYAN	15A	DPWA Multichannel
--------------	--------	----------	-----	-------------------

$\Delta(1920)$ BREIT-WIGNER PHOTON DECAY AMPLITUDES **$\Delta(1920) \rightarrow N\gamma$, helicity-1/2 amplitude $A_{1/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.043 ± 0.025	SARANTSEV 25	DPWA	Multichannel
-0.028 ± 0.010	¹ HUNT 19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
0.110 ± 0.030	SOKHOYAN 15A	DPWA	Multichannel
0.110 ± 0.030	GUTZ 14	DPWA	Multichannel
0.051 ± 0.010	¹ SHRESTHA 12A	DPWA	Multichannel
-0.007	PENNER 02D	DPWA	Multichannel

¹Statistical error only. **$\Delta(1920) \rightarrow N\gamma$, helicity-3/2 amplitude $A_{3/2}$**

VALUE ($\text{GeV}^{-1/2}$)	DOCUMENT ID	TECN	COMMENT
0.058 ± 0.030	SARANTSEV 25	DPWA	Multichannel
-0.043 ± 0.014	¹ HUNT 19	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •			
-0.105 ± 0.035	SOKHOYAN 15A	DPWA	Multichannel
-0.105 ± 0.035	GUTZ 14	DPWA	Multichannel
0.017 ± 0.015	¹ SHRESTHA 12A	DPWA	Multichannel
-0.001	PENNER 02D	DPWA	Multichannel

¹Statistical error only. **$\Delta(1920)$ REFERENCES**For early references, see Physics Letters **111B** 1 (1982).

SARANTSEV 25	PR C112 015202	A.V. Sarantsev <i>et al.</i>	(Bonn-Gatchina Collab.)
SEIFEN 25	EPJ A61 173	T. Seifen <i>et al.</i>	(CBELSA/TAPS Collab.)
ROENCHEN 22	EPJ A58 229	D. Roenchen <i>et al.</i>	(JULI, GWU, BONN+)
HUNT 19	PR C99 055205	B.C. Hunt, D.M. Manley	
ROENCHEN 15A	EPJ A51 70	D. Roenchen <i>et al.</i>	
SOKHOYAN 15A	EPJ A51 95	V. Sokhoyan <i>et al.</i>	(CBELSA/TAPS Collab.)
GUTZ 14	EPJ A50 74	E. Gutz <i>et al.</i>	(CBELSA/TAPS Collab.)
PDG 14	CP C38 070001	K. Olive <i>et al.</i>	(PDG Collab.)
SVARC 14	PR C89 045205	A. Svarc <i>et al.</i>	(RBI Zagreb, UNI Tuzla)
ANISOVICH 12A	EPJ A48 15	A.V. Anisovich <i>et al.</i>	(BONN, PNPI)
SHRESTHA 12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
HORN 08A	EPJ A38 173	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
Also	PRL 101 202002	I. Horn <i>et al.</i>	(CB-ELSA Collab.)
PENNER 02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER 02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
VRANA 00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER 93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY 80	Toronto Conf. 19	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
Also	PR D20 2839	R.E. Cutkosky <i>et al.</i>	(CMU, LBL) IJP
HOEHLER 79	PDAT 12-1	G. Hohler <i>et al.</i>	(KARLT) IJP
Also	Toronto Conf. 3	R. Koch	(KARLT) IJP