$N(1650)\ 1/2^-$

$I(J^P) = \frac{1}{2}(\frac{1}{2}^-)$ Status: ****

Older and obsolete values are listed and referenced in the 2014 edition, Chinese Physics **C38** 070001 (2014).

N(1650) POLE POSITION

REAL PART

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
1650 to 1680 (≈ 1665) OUR ESTIMATE				
1664±10	SARANTSEV	25	DPWA	Multichannel
1678± 2	ROENCHEN	22	DPWA	Multichannel
1664± 4	AFZAL	20	DPWA	Multichannel
1660± 5	[1] ANISOVICH	17A	L+P	$\gamma p,\ \pi^- p \to\ K\Lambda$
1660± 3.5±1	[2] SVARC	14	L+P	$\pi N \to\ \pi N$
1640±20	CUTKOSKY	80	IPWA	$\pi N \to\ \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
1656	HUNT	19	DPWA	Multichannel
1672	ROENCHEN	15A	DPWA	Multichannel
1652± 7	SOKHOYAN	15A	DPWA	Multichannel
1650	SHKLYAR	13	DPWA	Multichannel
1646± 8	BATINIC	10	DPWA	$\pi N \to\ N\pi,\ N\eta$
1648	ARNDT	06	DPWA	$\pi N \to\ \pi N,\ \eta N$
1663	VRANA	00	DPWA	Multichannel
1670	HOEHLER	93	ARGD	$\pi N \to\ \pi N$

[1] Statistical error only.
[2] Fit to the amplitudes of HOEHLER 79.

−2×IMAGINARY PART

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
100 to 170 (≈ 135) OUR ESTIMATE				
105± 6	SARANTSEV	25	DPWA	Multichannel
127± 2	ROENCHEN	22	DPWA	Multichannel
98± 6	AFZAL	20	DPWA	Multichannel
59±16	[1] ANISOVICH	17A	L+P	$\gamma p,\ \pi^- p \to\ K\Lambda$
167± 8±2	[2] SVARC	14	L+P	$\pi N \to\ \pi N$
150±30	CUTKOSKY	80	IPWA	$\pi N \to\ \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
130	HUNT	19	DPWA	Multichannel
137	ROENCHEN	15A	DPWA	Multichannel
102± 8	SOKHOYAN	15A	DPWA	Multichannel
89	SHKLYAR	13	DPWA	Multichannel
204±17	BATINIC	10	DPWA	$\pi N \to\ N\pi,\ N\eta$
80	ARNDT	06	DPWA	$\pi N \to\ \pi N,\ \eta N$
240	VRANA	00	DPWA	Multichannel
163	HOEHLER	93	ARGD	$\pi N \to\ \pi N$

[1] Statistical error only.
[2] Fit to the amplitudes of HOEHLER 79.

N(1650) ELASTIC POLE RESIDUE

MODULUS $|r|$

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
25 to 55 (≈ 45) OUR ESTIMATE				
59±11	ROENCHEN	22	DPWA	Multichannel
27± 6	SOKHOYAN	15A	DPWA	Multichannel
47± 3±1	[1] SVARC	14	L+P	$\pi N \to \pi N$
60±10	CUTKOSKY	80	IPWA	$\pi N \to \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
37	ROENCHEN	15A	DPWA	Multichannel
19	SHKLYAR	13	DPWA	Multichannel
24± 3	ANISOVICH	12A	DPWA	Multichannel
100	BATINIC	10	DPWA	$\pi N \to N\pi$, $N\eta$
14	ARNDT	06	DPWA	$\pi N \to \pi N$, ηN
39	HOEHLER	93	ARGD	$\pi N \to \pi N$

[1] Fit to the amplitudes of HOEHLER 79.

PHASE θ

VALUE (°)	*DOCUMENT ID*		*TECN*	*COMMENT*
−80 to −50 (≈ −70) OUR ESTIMATE				
−18±23	ROENCHEN	22	DPWA	Multichannel
−60±20	SOKHOYAN	15A	DPWA	Multichannel
−47± 3±1	[1] SVARC	14	L+P	$\pi N \to \pi N$
−75±25	CUTKOSKY	80	IPWA	$\pi N \to \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
−59	ROENCHEN	15A	DPWA	Multichannel
−46	SHKLYAR	13	DPWA	Multichannel
−75±12	ANISOVICH	12A	DPWA	Multichannel
−65	BATINIC	10	DPWA	$\pi N \to N\pi$, $N\eta$
−69	ARNDT	06	DPWA	$\pi N \to \pi N$, ηN
−37	HOEHLER	93	ARGD	$\pi N \to \pi N$

[1] Fit to the amplitudes of HOEHLER 79.

N(1650) INELASTIC POLE RESIDUE

The "normalized residue" is the residue divided by $\Gamma_{pole}/2$.

Normalized residue in $N\pi \to N(1650) \to N\eta$

MODULUS	*PHASE* (°)	*DOCUMENT ID*		*TECN*	*COMMENT*
0.34±0.06	71 ± 23	ROENCHEN	22	DPWA	Multichannel
0.29±0.03	134 ± 10	ANISOVICH	12A	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.21	48	ROENCHEN	15A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1650) \to \Lambda K$

MODULUS	*PHASE* (°)	*DOCUMENT ID*		*TECN*	*COMMENT*
0.26±0.05	−40 ± 23	ROENCHEN	22	DPWA	Multichannel
0.26±0.10	110 ± 20	ANISOVICH	17A	DPWA	Multichannel
0.10±0.10	95 ± 33	[1] ANISOVICH	17A	L+P	$\gamma p, \pi^- p \to K\Lambda$

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.20	−54	ROENCHEN	15A	DPWA	Multichannel
0.23±0.09	85 ± 9	ANISOVICH	12A	DPWA	Multichannel

[1] Statistical error only.

Normalized residue in $N\pi \to N(1650) \to \Sigma K$

MODULUS	*PHASE (°)*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.41 ±0.07	−21 ± 24	ROENCHEN	22	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.026	−74	ROENCHEN	15A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1650) \to \Delta\pi$, D-wave

MODULUS	*PHASE (°)*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.19±0.06	−30 ± 20	SOKHOYAN	15A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

0.23±0.04	−30 ± 20	ANISOVICH	12A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1650) \to N\sigma$

MODULUS	*PHASE (°)*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.20±0.15	undefined	SOKHOYAN	15A	DPWA	Multichannel

Normalized residue in $N\pi \to N(1650) \to N(1440)\pi$

MODULUS	*PHASE (°)*	*DOCUMENT ID*		*TECN*	*COMMENT*
0.30±0.17	undefined	SOKHOYAN	15A	DPWA	Multichannel

$N(1650)$ BREIT-WIGNER MASS

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
1635 to 1665 (≈ 1650) OUR ESTIMATE				
1670 ± 6	SARANTSEV	25	DPWA	Multichannel
1657 ± 6	GOLOVATCH	19	DPWA	$\gamma p \to \pi^+\pi^- p$
1666 ± 3	[1] HUNT	19	DPWA	Multichannel
1634 ± 5	KASHEVAROV	17	DPWA	$\gamma p \to \eta p, \eta' p$
1665 ± 2	[1] SHKLYAR	13	DPWA	Multichannel
1634.7± 1.1	[1] ARNDT	06	DPWA	$\pi N \to \pi N, \eta N$
1650 ±30	CUTKOSKY	80	IPWA	$\pi N \to \pi N$
1670 ± 8	HOEHLER	79	IPWA	$\pi N \to \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

1654 ± 6	SOKHOYAN	15A	DPWA	Multichannel	
1664 ± 2	[1] SHRESTHA	12A	DPWA	Multichannel	
1652 ± 9	BATINIC	10	DPWA	$\pi N \to N\pi, N\eta$	
1665 ± 2	PENNER	02C	DPWA	Multichannel	
1647 ±20	BAI	01B	BES	$J/\psi \to p\overline{p}\eta$	
1689 ±12	VRANA	00	DPWA	Multichannel	

[1] Statistical error only.

N(1650) BREIT-WIGNER WIDTH

VALUE (MeV)	*DOCUMENT ID*		*TECN*	*COMMENT*
100 to 150 (≈ 125) OUR ESTIMATE				
110 ± 7	SARANTSEV	25	DPWA	Multichannel
154 ±28	GOLOVATCH	19	DPWA	$\gamma p \to \pi^+\pi^- p$
133 ± 7	[1] HUNT	19	DPWA	Multichannel
128 ±16	KASHEVAROV	17	DPWA	$\gamma p \to \eta p, \eta' p$
147 ±14	[1] SHKLYAR	13	DPWA	Multichannel
115.4± 2.8	[1] ARNDT	06	DPWA	$\pi N \to \pi N, \eta N$
150 ±40	CUTKOSKY	80	IPWA	$\pi N \to \pi N$
180 ±20	HOEHLER	79	IPWA	$\pi N \to \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
102 ± 8	SOKHOYAN	15A	DPWA	Multichannel
126 ± 3	[1] SHRESTHA	12A	DPWA	Multichannel
202 ±16	BATINIC	10	DPWA	$\pi N \to N\pi, N\eta$
138 ± 7	PENNER	02C	DPWA	Multichannel
145 $^{+80}_{-45}$	BAI	01B	BES	$J/\psi \to p\overline{p}\eta$
202 ±40	VRANA	00	DPWA	Multichannel

[1] Statistical error only.

N(1650) DECAY MODES

The following branching fractions are our estimates, not fits or averages.

	Mode	Fraction (Γ_i/Γ)
Γ_1	$N\pi$	50–70 %
Γ_2	$N\eta$	15–35 %
Γ_3	ΛK	5–15 %
Γ_4	$N\pi\pi$	20–58 %
Γ_5	$\Delta(1232)\pi$	6–18 %
Γ_6	$N\rho$	12–22 %
Γ_7	$N\rho$, S=1/2	<4 %
Γ_8	$N\rho$, S=3/2	12–18 %
Γ_9	$N\sigma$	2–18 %
Γ_{10}	$N(1440)\pi$	6–26 %
Γ_{11}	$p\gamma$, helicity=1/2	0.04–0.20 %
Γ_{12}	$n\gamma$, helicity=1/2	0.003–0.17 %

N(1650) BRANCHING RATIOS

$\Gamma(N\pi)/\Gamma_{\text{total}}$ Γ_1/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
50 to 70 (≈ 60) OUR ESTIMATE				
48± 4	SEIFEN	25	DPWA	Multichannel
64± 4	[1] HUNT	19	DPWA	Multichannel

74± 3	[1]	SHKLYAR	13	DPWA	Multichannel
65±10		CUTKOSKY	80	IPWA	$\pi N \to \pi N$
61± 4		HOEHLER	79	IPWA	$\pi N \to \pi N$

• • • We do not use the following data for averages, fits, limits, etc. • • •

51± 4		SOKHOYAN	15A	DPWA	Multichannel
57± 2	[1]	SHRESTHA	12A	DPWA	Multichannel
79± 6		BATINIC	10	DPWA	$\pi N \to N\pi$, $N\eta$
100		ARNDT	06	DPWA	$\pi N \to \pi N$, ηN
65± 4		PENNER	02C	DPWA	Multichannel
74± 2		VRANA	00	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N\eta)/\Gamma_{\text{total}}$ Γ_2/Γ

VALUE (%)	DOCUMENT ID		TECN	COMMENT
15 to 35 (≈ 25) OUR ESTIMATE				
33 ± 4	MUELLER	20	DPWA	Multichannel
0.8± 0.6	[1] HUNT	19	DPWA	Multichannel
28 ±11	[2] KASHEVAROV	17	DPWA	$\gamma p \to \eta p$, $\eta' p$
< 3	SHKLYAR	13	DPWA	Multichannel
18 ± 4	ANISOVICH	12A	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

21 ± 2	[1]	SHRESTHA	12A	DPWA	Multichannel
13 ± 5		BATINIC	10	DPWA	$\pi N \to N\pi$, $N\eta$
1.0± 0.6		PENNER	02C	DPWA	Multichannel
6 ± 1		VRANA	00	DPWA	Multichannel

[1] Statistical error only.

[2] Assuming $A_{1/2} = 0.045$ GeV$^{-1/2}$.

$\Gamma(\Lambda K)/\Gamma_{\text{total}}$ Γ_3/Γ

VALUE (%)	DOCUMENT ID		TECN	COMMENT
5 to 15 (≈ 10) OUR ESTIMATE				
3.5±0.2	[1] HUNT	19	DPWA	Multichannel
10 ±5	ANISOVICH	12A	DPWA	Multichannel
4 ±1	[1] SHKLYAR	05	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

8 ±1	[1]	SHRESTHA	12A	DPWA	Multichannel
2.7±0.4		PENNER	02C	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N\pi\pi)/\Gamma_{\text{total}}$ Γ_4/Γ

VALUE	DOCUMENT ID		TECN	COMMENT
0.12±0.02	GOLOVATCH	19	DPWA	$\gamma p \to \pi^+ \pi^- p$

$\Gamma(\Delta(1232)\pi)/\Gamma_{\text{total}}$ Γ_5/Γ

VALUE (%)	DOCUMENT ID		TECN	COMMENT
6 ±5	SARANTSEV	25	DPWA	Multichannel
6 ±3	SEIFEN	25	DPWA	Multichannel
< 0.2	[1] HUNT	19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

12 ±6		SOKHOYAN	15A	DPWA	Multichannel
7 ±2	[1]	SHRESTHA	12A	DPWA	Multichannel
2 ±1		VRANA	00	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N\rho)/\Gamma_{total}$ Γ_6/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
17±6	SARANTSEV	25	DPWA	Multichannel

$\Gamma(N\rho, S{=}1/2)/\Gamma_{total}$ Γ_7/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
12 ±5	SARANTSEV	25	DPWA	Multichannel
1.8±1.7	[1] HUNT	19	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N\rho, S{=}3/2)/\Gamma_{total}$ Γ_8/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
5±3	SARANTSEV	25	DPWA	Multichannel
15±3	[1] HUNT	19	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N\sigma)/\Gamma_{total}$ Γ_9/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
3±2	SARANTSEV	25	DPWA	Multichannel
3±2	SEIFEN	25	DPWA	Multichannel
12±4	[1] HUNT	19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

10±8		SOKHOYAN	15A	DPWA	Multichannel
< 1	[1]	SHRESTHA	12A	DPWA	Multichannel
1±1		VRANA	00	DPWA	Multichannel

[1] Statistical error only.

$\Gamma(N(1440)\pi)/\Gamma_{total}$ Γ_{10}/Γ

VALUE (%)	*DOCUMENT ID*		*TECN*	*COMMENT*
5± 3	SEIFEN	25	DPWA	Multichannel
2± 1	[1] HUNT	19	DPWA	Multichannel

• • • We do not use the following data for averages, fits, limits, etc. • • •

16±10		SOKHOYAN	15A	DPWA	Multichannel
< 1	[1]	SHRESTHA	12A	DPWA	Multichannel
3± 1		VRANA	00	DPWA	Multichannel

[1] Statistical error only.

N(1650) PHOTON DECAY AMPLITUDES AT THE POLE

N(1650) → *pγ*, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($GeV^{-1/2}$)	PHASE (°)	DOCUMENT ID		TECN	COMMENT
0.031±0.005	2 ± 5	SARANTSEV	25	DPWA	Multichannel
0.039±0.005	−0.2 ± 14	ROENCHEN	22	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.059	−14	ROENCHEN	15A	DPWA	Multichannel
0.032±0.006	−2 ± 11	SOKHOYAN	15A	DPWA	Multichannel

N(1650) → *nγ*, helicity-1/2 amplitude $A_{1/2}$

MODULUS ($GeV^{-1/2}$)	PHASE (°)	DOCUMENT ID		TECN	COMMENT
0.016±0.004	−28 ± 10	ANISOVICH	17D	DPWA	Multichannel
• • • We do not use the following data for averages, fits, limits, etc. • • •					
0.019±0.006	0 ± 15	ANISOVICH	15A	DPWA	Multichannel

N(1650) BREIT-WIGNER PHOTON DECAY AMPLITUDES

N(1650) → *pγ*, helicity-1/2 amplitude $A_{1/2}$

VALUE ($GeV^{-1/2}$)	DOCUMENT ID		TECN	COMMENT
0.035 to 0.055 (≈ 0.045) OUR ESTIMATE				
0.031 ±0.004	SARANTSEV	25	DPWA	Multichannel
0.0605±0.0077	GOLOVATCH	19	DPWA	$\gamma p \to \pi^+\pi^- p$
0.048 ±0.003	[1] HUNT	19	DPWA	Multichannel
0.063 ±0.006	[1] SHKLYAR	13	DPWA	Multichannel
0.055 ±0.030	[1] WORKMAN	12A	DPWA	$\gamma N \to N\pi$
0.022 ±0.007	[1] DUGGER	07	DPWA	$\gamma N \to \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.032 ±0.006	SOKHOYAN	15A	DPWA	Multichannel
0.030 ±0.003	[1] SHRESTHA	12A	DPWA	Multichannel
0.033	DRECHSEL	07	DPWA	$\gamma N \to \pi N$
0.049	PENNER	02D	DPWA	Multichannel

[1] Statistical error only.

N(1650) → *nγ*, helicity-1/2 amplitude $A_{1/2}$

VALUE ($GeV^{-1/2}$)	DOCUMENT ID		TECN	COMMENT
−0.040 to 0.030 (≈ −0.010) OUR ESTIMATE				
0.001±0.006	[1] HUNT	19	DPWA	Multichannel
0.016±0.005	ANISOVICH	17E	DPWA	Multichannel
−0.040±0.010	[1] CHEN	12A	DPWA	$\gamma N \to \pi N$
• • • We do not use the following data for averages, fits, limits, etc. • • •				
0.025±0.020	ANISOVICH	13B	DPWA	Multichannel
0.011±0.002	[1] SHRESTHA	12A	DPWA	Multichannel
0.009	DRECHSEL	07	DPWA	$\gamma N \to \pi N$
−0.011	PENNER	02D	DPWA	Multichannel

[1] Statistical error only.

N(1650) REFERENCES

For early references, see Physics Letters **111B** 1 (1982).

SARANTSEV	25	PR C112 015202	A.V. Sarantsev *et al.*	(Bonn-Gatchina Collab.)
SEIFEN	25	EPJ A61 173	T. Seifen *et al.*	(CBELSA/TAPS Collab.)
ROENCHEN	22	EPJ A58 229	D. Roenchen *et al.*	(JULI, GWU, BONN+)
AFZAL	20	PRL 125 152002	F. Afzal *et al.*	(CBELSA/TAPS Collab.)
MUELLER	20	PL B803 135323	J. Mueller *et al.*	(CBELSA/TAPS Collab.)
GOLOVATCH	19	PL B788 371	E. Golovatch *et al.*	(CLAS Collab.)
HUNT	19	PR C99 055205	B.C. Hunt, D.M. Manley	
ANISOVICH	17A	PRL 119 062004	A.V. Anisovich *et al.*	
ANISOVICH	17D	PR C95 035211	A.V. Anisovich *et al.*	
ANISOVICH	17E	PR C96 055202	A.V. Anisovich *et al.*	(BONN, PNPI, JLAB+)
KASHEVAROV	17	PRL 118 212001	V.L. Kashevarov *et al.*	(A2/MAMI Collab.)
ANISOVICH	15A	EPJ A51 72	A.V. Anisovich *et al.*	
ROENCHEN	15A	EPJ A51 70	D. Roenchen *et al.*	
SOKHOYAN	15A	EPJ A51 95	V. Sokhoyan *et al.*	(CBELSA/TAPS Collab.)
PDG	14	CP C38 070001	K. Olive *et al.*	(PDG Collab.)
SVARC	14	PR C89 045205	A. Svarc *et al.*	(RBI Zagreb, UNI Tuzla)
ANISOVICH	13B	EPJ A49 67	A.V. Anisovich *et al.*	
SHKLYAR	13	PR C87 015201	V. Shklyar, H. Lenske, U. Mosel	(GIES)
ANISOVICH	12A	EPJ A48 15	A.V. Anisovich *et al.*	(BONN, PNPI)
CHEN	12A	PR C86 015206	W. Chen *et al.*	(DUKE, GWU, MSST, ITEP+)
SHRESTHA	12A	PR C86 055203	M. Shrestha, D.M. Manley	(KSU)
WORKMAN	12A	PR C86 015202	R. Workman *et al.*	(GWU)
BATINIC	10	PR C82 038203	M. Batinic *et al.*	(ZAGR)
DRECHSEL	07	EPJ A34 69	D. Drechsel, S.S. Kamalov, L. Tiator	(MAINZ, JINR)
DUGGER	07	PR C76 025211	M. Dugger *et al.*	(JLab CLAS Collab.)
ARNDT	06	PR C74 045205	R.A. Arndt *et al.*	(GWU)
SHKLYAR	05	PR C72 015210	V. Shklyar, H. Lenske, U. Mosel	(GIES)
PENNER	02C	PR C66 055211	G. Penner, U. Mosel	(GIES)
PENNER	02D	PR C66 055212	G. Penner, U. Mosel	(GIES)
BAI	01B	PL B510 75	J.Z. Bai *et al.*	(BES Collab.)
VRANA	00	PRPL 328 181	T.P. Vrana, S.A. Dytman, T.-S.H. Lee	(PITT, ANL)
HOEHLER	93	πN Newsletter 9 1	G. Hohler	(KARL)
CUTKOSKY	80	Toronto Conf. 19	R.E. Cutkosky *et al.*	(CMU, LBL) IJP
Also		PR D20 2839	R.E. Cutkosky *et al.*	(CMU, LBL) IJP
HOEHLER	79	PDAT 12-1	G. Hohler *et al.*	(KARLT) IJP
Also		Toronto Conf. 3	R. Koch	(KARLT) IJP